



OFFICE OF THE CHIEF EXECUTIVE OFFICER
Haldia Development Authority (ISO 9001:2015 Certified)
(A Statutory Authority under Government of West Bengal)

City Centre, P.O. Debhog, Haldia-721657, Dist: Purba Medinipur
Ph.: (03224) 255926, Fax-255927, e-mail : ceo.hda@gmail.com Web.: www.hda.gov.in , Toll Free No. 1800-345-322424

QUOTATION NOTICE NO. 25/HDA/EC of 2020-2021(2nd call)

Sealed quotations are invited for the following works (detail of dates given below) from bonafide agencies. The intending participants will have to satisfy the undersigned with their proof of experience and financial capabilities in similar nature of work. Quotation will be opened in presence of quotationers, who may wish to be present at the stipulated date and time of opening of the quotation.

Name of the work : Inside repairing and painting of flat no. ALT-II/2/4, 44 flats at Priyamba Housing Estate.

Estimated Amount : ₹ 65,983.00 (Rupees sixty five thousand nine hundred and eighty three) only.

| | | |
|----|---------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 1 | Date of invitation of Quotation | <u>07.01.2021</u> |
| 2 | Date of and Time of submission of Quotation | <u>15.01.2021 upto 4:00 p.m</u> |
| 3 | Date of and Time of opening of Quotation | <u>15.01.2021 at 4:30 p.m</u> |
| 4 | Scope of work | i) Wood work in door and window frame. ii) Plaster and finishing work. iii) Painting work. |
| 5 | Document to be submitted along-with the Quotation | i) Name and address, registration detail of Firm / Company / Agency, place of registration, and principal place of business, name of proprietor etc. ii) PAN Card iii) Latest Income Tax return iv) GST Registration details |
| 6 | Quoting of Rates | Rate should be quoted in the own pad of the firm against each item of the BOQ as per the format annexed. The rate will have to be quoted including man powers, materials, delivery charges, all taxes, duties and in-station charges. |
| 7 | Selection of the successful Quotationer | Successful Quotationer shall be decided as per the lowest amount. |
| 8 | Completion Time | 01(one) Month |
| 9 | Security Deposit | 10% of the bill value |
| 10 | Maintenance Period | 01 (one) year |
| 11 | Schedule of release of Security Deposit | After 1 year completion of maintenance period, subject to maintenance of the executed work in good condition for the entire maintenance period failing which the SD money will be forfeited. |

Other Terms and conditions:

1. Name of the work and NIQ No, shall be mentioned in the Quotation.
2. Work will be awarded to the lowest bidder.
3. Payment will be made as per the executed quantity of each item as mentioned in the BOQ.
4. Quality of work should be maintained strictly as per the specifications mentioned in the BOQ.
5. All water and electricity charges to be borne by the contractor.
6. Conditional tender shall not be accepted.
7. Penalty for delay: **compensation an amount equal to one percent or such smaller amount as the Authority (whose decision in writing shall be final) may decide, on the amount of the tendered amount of the whole work as shown in the tender for everyday.**

Sd/-
Chief Executive Officer
Haldia Development Authority

Memo No. 1637(10) /HDA/XV-B-37(Part-I)

Dated : 07.01.2021

Copy forwarded for information to:-

1. The Chairman, Haldia Development Authority
2. The District Magistrate, Purba Medinipur.
3. The Sub-Divisional Officer, Haldia, P.O.- Khanjanchak, Purba Medinipur.
4. The Chairman, Haldia Municipality.
5. The District Information & Cultural Officer, Purba Medinipur
6. The District Informatics Officer, NIC, Purba Medinipur, Tamluk with a request to publish it in the official website of Purba Medinipur District.
7. The Executive Engineer (Electrical), HAD
8. Taposi Samanta, Computer operator, H.D.A. with a request to arrange to publish it in the website of HDA and make arrangement to send the same to DIO, NIC by e-mail.
9. CA to the CEO, HDA
10. Reception / Notice Board.

Sd/-
Chief Executive Officer
Haldia Development Authority

Name of the work : Inside repairing and painting of flat no. ALT-II/2/4, 44 flats at Priyamba Housing Estate.

NIQ-25/HDA/EC of 2020-2021(2nd call)

| It. No. | Description of work | Unit | Total Quantity | Rate (Rs.) | Amount (in Rs.) |
|----------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------|-----------------------|-------------------|------------------------|
| 1 | Stripping off worn out plaster and raking out joints of walls, celings etc. up to any height inside & out side walls including scaffolding, removing rubbish and stacking within 75 mtr. Distance all complete as directed. | Sqm | 34.45 | | |
| 2 | Plaster (to wall, floor, ceiling etc.) with sand and cement mortar including rounding off or chamfering corners as directed and raking out joints including throating, nosing and drip course, scaffolding/staging where necessary (Ground floor).[Excluding cost of chipping over concrete surface] (ii) With 1:4 cement mortar. (b) 15 mm thick plaster. | Sqm | 34.45 | | |
| 3 | Applying Interior grade Acrylic Primer of approved quality and brand on plastered or concrete surface old or new surface to receive Distemper/ Acrylic emulsion paint including scraping and preparing the surface thoroughly, complete as per manufacturer's specification and as per direction of the EIC. (In Ground Floor) (a) One Coat. i) Water based interior grade Acrylic Primer. | Sqm | 199.21 | | |
| 4 | Acrylic distemper to interior wall,ceiling with a coat of solvent based interior grade acrylic primer(as per manufacture's specification)including cleaning and smoothening surface. Two coats. | Sqm | 163.31 | | |
| 5 | Applying decorative cement based paint of approved quality after preparing the surface including scraping the same thoroughly (plastered or concrete surface) as per manufacturer's specification. (iii) Two coats. | Sqm | 229.51 | | |
| 6 | (b) Priming one coat on timber or plastered surface with synthetic oil bound primer of approved quality including smoothening surfaces by sand papering etc. | Sqm | 19.68 | | |
| 7 | Painting with best quality synthetic enamel paint of approved make and brand including smoothening surface by sand papering etc. including using of approved putty etc. on the surface, if necessary : (a) On timber or plastered surface. (ii) Two coats (white in shade). | Sqm | 19.680 | | |
| 8 | Painting with best quality synthetic enamel paint of approved make and brand including smoothening surface by sand papering etc. including using of approved putty etc. on the surface, if necessary. (b) On steel or other metal surface. (ii) Two coats (white in shade). | Sqm | 11.89 | | |
| 9 | Washing and cleaning with oxalic acid powder using 33 gms./sq.m. a) Marble floor/ marble dado. | Sqm | 61.26 | | |

| | | | | | |
|----|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|------|--|--|
| 10 | Supplying, fitting and fixing PVC pipes of approved make of (medium duty) conforming to ASTM D - 1785 and threaded to match with GI Pipes as per IS : 1239 (Part - I). with all necessary accessories, specials viz. socket, bend, tee, union, cross, elbo, nipple, long screw, reducing socket, reducing tee, short piece etc. fitted with holder bats clamps, including cutting pipes, making threads, fitting, fixing etc. complete in all respect including cost of all necessary fittings as required, jointing materials and two coats of painting with approved paint in any position above ground. (Payment will be made on the centre line measurements of total pipe line including all specials. No separate payment will be made for accessories, specials. Payment for painting will be made separately). 15 mm dia medium quality. | Mtr | 5.0 | | |
| | a) 25 mm medium quality. | Mtr | 7.0 | | |
| 11 | Supply, fit & fix stop cock/bib cock. Polythene stop cock/bib cock (HD) with metal inlet (EMCO/ATLAS or equivalent) 15 mm. | Each | 4.0 | | |
| 12 | Supplying, fitting and fixing pillar cock of approved make. b) PTMT Pillar Cock - 15 mm. (Prayag or equivalent). | Each | 1.0 | | |
| 13 | Supply, fit and fix 10 litre PVC low down cistern (Reliance) or approved equivalent conforming to I.S. specification with PVC fittings complete, C.I. Brackets including two coats of painting to bracket etc. | Each | 1.0 | | |
| 14 | Supplying, fitting and fixing approved brand P.V.C waste pipe with coupling at one fitteds with C.P. over brass nut, 32 mm/40 mm dia and 750mm long. | Each | 2.0 | | |
| 15 | Wood work in door and window frame fitted and fixed in position complete including a protective coat of painting at the contact surface of the frame excluding cost of concrete, Iron Butt Hinges and M.S clamps. Sishu, Gamar, Champ, Badam, Bhola, Mogra, Hallack (The quantum should be corrected upto three decimals). | cum | 0.04 | | |
| 16 | Panel shutters of door and window, as per design (each panel consisting of single plank without joint), including fitting and fixing the same in position but excluding the cost of hinge and other fittings. In ground floor. (In case of non-supply of single plank, penal rate of reduction of 20% will be made) (iv) 25mm thick shutters with 12mm thick panel of size 30 to 45 Cm. b) Sishu, Gamar, Champ, Badam, Bhola, Mogra, Hallak. | Sqm | 1.52 | | |
| 17 | Supplying, fitting and fixing M.S. clamps for door and window frame made of flat bent bar, end bifurcated with necessary screws etc. by cement concrete (1:2:4) as per direction. (Cost of concrete will be paid separately). | Each | 8.00 | | |
| 18 | Iron butt hinges of approved quality fitted and fixed with steel screws, with ISI mark. (vi) 100mm. X 50mm. X 1.25mm. P-140, | Each | 6.00 | | |
| 19 | Supplying best Indian sheet glass panes set in putty and fitted and fixed with nails and putty complete. (In all floors for internal wall & upto 6 m height for external wall) (i) 3 mm thick (weighing 7.4 kg/Sq.m). | Sqm | 1.68 | | |

| | | | | | |
|----|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|------|----------------------|--|
| 20 | Supplying, fitting and fixing windows and ventilators with or without integrated grills conforming to IS 1038-1975 and manufactured from rolled steel sections conforming to IS 7452-1974 with non-friction projecting type, box type hinges, glazing clips, lugs locking bracket, handle plate etc, including hoisting in position, straightening if required, fixing lugs in cement concrete (1:2:4) with stone chips 20 mm down cutting holes and mending good damages to match with existing surface complete in all respect excluding glazing. (b) Openable steel windows as per IS sizes with side hung shutters and horizontal glazing bars with/without fixed type ventilators.[The extra rate admissible for the openable portion only]. | Sqm | 1.80 | | |
| 21 | Supplying, fitting and fixing glass self with aluminium guard rails Volume-II, For Sanitary & Plumbing works. Section-(B) (III) Water Closet and Urinals, Item no. 21. 600 mm x 125 mm. | Each | 2.00 | | |
| 22 | Wash basin vitreous china of approved make (without fittings)supplied,fitted and fixed in position on 75mm X 75 mm X 75 mm wood blocks and C.I. brackets including two coats of painting of C.I. brackets. (iii) 630 mm X 450 mm size. | Each | 2.00 | | |
| 23 | Supplying,fitting and fixing approved brand P.V.C. CONNECTOR white flexible, with both ends coupling with heavy brass C.P. nut, 15 mm dia.(iii) 600 mm long. | | 1.00 | | |
| | | | | Total= | |
| | | | | Add GST@12%= | |
| | | | | Total | |
| | | | | Add cess @1%= | |
| | | | | Total | |